













**BAND HOLDER** 
















#### "SU MISURA"

#### CUSTOMIZE YOUR OWN SUIT

CHOOSE THE MODEL YOU WANT TO CUSTOMIZE FROM THE FOLLOWING:
ONE ART (IA01857) - ONE-S 1 (IA01852) - ONE-S SUIT (IA01853) - ONE EVO SUIT (IA01859) - TECNICA
EVO SUIT (IA01859) - TECNICA-S SUIT (IA01850) - FIRST EVO (IA01854) - FIRST-S SUIT (IA01828B) ONE VINTAGE (IA01842) - LE MANS (IA01823F) - CLASSIC (IA01816F)



DOWNLOAD THE CUSTOMIZATION TUTOR AND THE BLANK MODEL FROM WWW.OMPRACING.COM





AREA BY AREA, CHOOSE AND APPLY THE COLORS FROM THE PALETTES





APPLY YOUR LOGOS AND GRAPHICS



EPOHAS PROPERTY CAN DESCRIPTION OF THE PROPERTY OF THE PROPERT



DOWNLOAD THE ORDER FORM AND FILL IT IN EVERY PART







#### OMP COOL SHIRT IAA/752 € 797,00 (D) SFI 3.3 on requ OMP COOLSHIRT SMA Underwear long sleeved top with integrated water based cooling system. corresponding sizes XS/S suit sizes 44-48 MED corresponding sizes M/L suit sizes 50-54 XLAR corresponding sizes M/L suit sizes 50-54 FOR MAXIMUM FRESHNESS USE INVIGORATING COOLING SPRAY corresponding sizes XL/XXL suit sizes 56-60 **APPROVED** MANUFACTURER: OMP MODEL: COOL SHIRT FIA STANDARD: FIA 8856 FRESH AIR IN HOT AIR OUT UTIONARY COS IAA/752028XX White WORLDWIDE EXCLUSIVE IAA/752071XX INTEGRATED QUICK CONNECTIONS to be used with ID/793 system for short races; to be used with ID/794 system for longer races or go directly for top performances with the COOLSHIRT PRO AIR AND WATER SYSTEM ID/795, with additional ventilation [or your helmet or seat

IAA/752 Back detail

**DUAL FLOW CONTROLLER** 

ID/798

(water and air)- Controls the amount of refrigerating effect and gives the driver control of his/her comfort while in the race car by controlling the flow of cooling water through the shirt and the flow of fresh air in the helmet. Avaible as repla

€ 282,00 (D)

UNIVERSAL CONNECTOR AND DRAIN KIT

ID/799

Universal connectors for supply hose ID/797. Avaible as replacement of original parts



€ 85,00 (D)

SAFETY PULL RELEASE CONNECTOR

ID/800

Safety pull release connectors that allow to connect the shirt to the supply hose ID/197. Avaible as replacement of original parts.



€ 59,00 (D)

BRACKET

ID/801 Spare mounting tra Club System (ID) Comes with tie o strap.

€ 101,00 (D)

MAINTENANCE ADDITIVE

PC02004

This non-toxic bio-degradable so-lution contains a fungicide yet is safe to use in all Coolshirt water based cooling systems. Regular use of this additive will not only help clean the system but it will also improve the performance and life of the system pump.

€ 17,00 (D)



ID/793

WATER COOLING SYSTEM PORTABLE FLEXIBLE BAG

The state of the s

Lightweight and waterproof denier bag with an internal 1: For use in all types of Cooling time: 1/2h - 1 h More accessories available. Supply hose ID/797 sold sepi

€ 255,00 (D)

**CLUB SYSTEM** 

ID/794

WATER COLUMS SYSTEM
CUB SYSTEM BIGID BDX
23 It capacity cooling unit
with an internal pump
which supplies water to
the cooling undewen
salated hose with automatic shutoff(quick disconnects, Parfect from
rad courses to oval Track racing. Cooling time: 6h More accessories
available, Bracket ID/801 included. Supply hose ID/797 sold separately.

€ 276,00 (D)

COOL SHIRT SYSTEM

ID/795 COOL SHIRT PRO AIR & WATER SYSTEM

Used in all levels of racing, it provides temperature controlled cooled water to the driver's Cooling Shirt and cooled filtered hair to the helmet. 2,5 mt of double water hose with automatic. water hose with automatic shutoff/quick disconnects attach the shirt to the unit. The kit inclu-supply water hose (2,5mt), dual flow o air hoses, connectors and filters. Cool

€ 1.050,00 (D)

FLOW CONTROLLER

ID/796

the race car by contr the flow of cooling through his/her shirt.

€ 211,00 (D)

SUPPLY HOSE

ID/797

CoolShirt 10ft (3 mt) supply hose enables the Cool Shirt Bag or Club System Box to be stored further away from the driver if required. Inherently flexible, the Hose Supply is an ideal accessory to enaire future flexibility for the Cooling system. Also available as replace cooling system damaged hoses.

€ 148,00 (D)



















# VINTAGE GLOVE The design with fabrics and quality of last generation gloves. Fire-resistant fabric with stretch sunde inserts. Internal seams. SUED LATHER NISERS on palm and fingers for very good grip MANUFACTURER: COMP MODEL DUDN MODEL D



OF ORDER





SIZES: M (S-M) - L (L/XL)

elastic slipout-proof

SIZES: M (S-M) - L (L/XL)









IC/805071XX

IC/805020XX









FIA 8856/2000

FIA 8856/2000













J8 INTERCOM NEXUS

OF STATE OF

#### HELMET ACCESSORIES

SUPER PROFESSIONAL INTERCOM

DIGITAL ELECTRONIC IMPROVED
RELIABILITY.
High quality sound and digital

I-RACE NEXUS PLUG

O COO





SC163 iridium gold visor € 85,00 (C) SC162 iridium blue visor € 85,00 (C

SPARE VISOR LOCKING SYSTEM SC168 SC165 € 40.00 (C)

€ 22.00 (C)

ARE CHEECK PADS XXS-XXL SC169 (no picture). € 70.00 (C)

## filtering. FRAME: aluminium case to shield electromagnetic interferences. RACE MODE excludes phone connection, MP3 and VHF radio OUTPUT 12V po 2 m cable length MP3 CONNECTIONS CO-DRIVER

EASY MOUNTING

DRIVER HELMET CONNECTOR

WITH FEMALE NEXUS CONNECTOR IN ORDER TO BE COMPATIBLE WITH OMP AND PELTOR INTERCOM SYSTEMS



#### J8 (SC787) - J8 INT. STEREO (SC788) - J8 INT. NEXUS (SC794)



SPARE CHEECK PADS size XXS-XXL SC158 (no picture). € 70,00 (C)





SEPARATED VOLUME

#### INTERCOM ACCESSORIES NEXUS PLUG

JA/877

€ 88,00 (C)

JA/878 € 198,00 (C)

OF COMMENT

HEADSET JA/844 MICROPHONE **TECH-RACE SERIES: SPARE MICROPHONE BOOM**High quality microphone boom to be used as spare part for intercom kit JA/858, JA/858E, JA/878. HEADSET. EXCELLENT INSULATION FROM EXTERNAL NOISE

HEADSEL EAGLEST
Flexible microphone bom
Dynamic microphone with
integrated noise reduction
Designed to be used with
TECH-RACE intercom
JAY856 or JAY856E and
I-RACE JAY876.
Compatible with most
intercom units
available on the
available on the market (adapto may be needed on page 90).

€ 192,00 (C)

JA/830 AUDIO CABLE



WIRE EXTENSION

TECH-RACE SERIES: WIRE EXTENSION
1,5 m long extension cable with Nexus pl
Compatible with TECH-RACE and L-RACE
units 1JA/876, JA/856, JA/856E) and
with helmets JET10 (SC761E) and
J8 series (only and SC794).

€ 75.00 (C)

€ 36,00 (C)

Audio cable to connect the control box JA/876, JA/855 or JA/855E and JA/856 or JA/856E to the camera car.

POWER SUPPLY CABLE

JA/834

JA/829

INTERCOM KIT

TECH-RACE SERIES: POWER SUPPLY CABLE. Designed to connect the TECH-RACE JA/856 or JA/856E control box to the 12V car Power supply line. € 24,50 (C)

TECH-RACE SERIES: INTERCOM KIT FOR OPEN FACE HELMETS IECH-HACE SERIES IN IERCOM MIT FOR UPEN PACE RELIMETS
WITH WIRE MOINTEEN DEXIS CONNECTION
Excellent insulation from external noise. High quality flexible
microphone boom. Dynamic microphone with integrated noise
reduction. Designed to be used with TECH-RACE intercom JARSS,
JARSSE, JARSS and with JA Series helmets. Compatible with most
Intercom units available on the market (adaptors may be needed see STILO UNIT - OMP HELMET CONNECTING KIT

€ 78,00 (C)

JA/852

Interface kit for connecting OMP helmets Jet 10 (SC761, SC761E) o (SC794) and related headsets (JA JA/857E, JA/858E, JA/878) to STILO intercom units

# COMPATIBILITY WITH OTHER BRANDS OTHER BRANDS HELMETS + OMP NEXUS PLUG CONTROL BOX PELTOR HELMETS Made Nexus plug ALL OMP NEXUS PLUG CONTROL BOX JA/856 - JA/856E - JA/876 ALL OMP NEXUS PLUG CONTROL BOX JA/856 - JA/856E - JA/876 ALL OMP NEXUS PLUG HELMETS PELTOR CONTROL BOX ALL OMP NEXUS PLUG HELMETS JET 8 (SC734) STILO CONTROL BOX JA/852 ALL OMP NEXUS PLUG HELMETS JET 8 (SC734)

OMP UNIT - STILO HELMET CONNECTING KIT

€ 90.00 (C)

JA/865

Interface kit for connecting Stilo helmets to both TECH-RACE and I-RACE intercom units (JA/856, JA/856E, JA/855, JA/876).




COMPATIBILITY AMONG OMP PRODUCTS

NEXUS PLUG

OF COMPANY



€ 31.50 (C)



OF CAME

Microphone kit for single helmet. To be used with control box JA/874. Compatibl with JET7 and J8 sories helmets

€ 80.00 (C)

#### CIRCUIT

# HELMET WITH SC611E

#### STAR

#### **HELMET**

#### FULL FACE KARTING HELMET

Full face thermoplastic helmet, velvet lining (not fireproof), step setting visor.

€ 89,00 (C)

HOMOLOGATION ECE 22.05 SIZES: XS-XXL

OPEN FACE KARTING HELMET

Open face helmet with ABS shell, velvet lining not fireproof, with revomable peak.

€ 71,00 (C)

TENO

SC607E HOMOLOGATION ECE 22.05

SIZES: S-XXL









#### HELMET SPARE PARTS

#### CIRCUIT (SC611E)

# AIR VENTS SC150 spare couple of front air vents € 5,00 (C) SC151 spare front air vent € 4,00 (C) SC152 spare rear air vent € 4,00 (C) VISORS SC148 clear visor € 14,00 (C) (included with the helmet) movement SC154 € 5,00 (C) SC149 dark visor € 14,00 (C)

#### STAR (SC607E)

NB: Spare parts for old helmet models are still available on our website www.ompracing.com, in the helmets section.



# The Contract of





**SLEEVES** 

NB/1872

#### RACING

€ 50,00 (C)

#### **APRON**

ONE SIZE

NB/1879

€ 17,00 (C) COTTON APRON

Cotton apron, features a small tool pouch and large pockets.

#### APRON PLUS

€ 25,50 (C) NB/1894

#### APRON PLUS





Aluminized sleeves, offering excellent protection against heat.

ONE SIZE

€ 49,00 (P)

Hans® helmet anchor (male screwe only - the female parts is inside the helmet). For one helmet (to be used exclusively with models SC754 SC768 - SC761 - SC778 - SC778 - SC771 - SC772 - SC7775 - SC778 - SC763 - SC787 - SC786 - SC794). According to FIA 8858-2010, 8860 and 8859-2015 rules.

40

#### ACCESSORIES NECK SUPPORT ID/787 NECK COLLAR ID/789 Anatomic, round neck collar knit Nomex® for improved comfort. Inserts: Nomex® fabric. Padded: high density foam. One size. Neck support in knit Nomex®. Padded: high density foam. One size. € 74,00 (C) € 47,50 (C) ID/789061 € 9,00 (C) € 26,50 (C) € 66,00 (C) NA/1858 NA/1871 Helmet hook in steel. To be attached to the roll cage with supplied metal clamps. Helmet carrying net in polye all cars, can hold 2 helmets. ORA/2972 HELMET BAG HELMET BOX NA/1864 Very resistant helmet carrying bag. Studied for holding also the Hans® helmet device. With a removable internal visor pocket, removable adjustable shoulder strap Rally helmet box velvet, with wide side pockets. Internal sizes single box: 34x26x29 cm € 69,00 (C) NA/1864/N Black NA/1864/R Red removable adjusta shoulder strap and a pratical handle. H 33 x L 47 x W 29 Measures in cm € 49,50 (P) HANS® ACCESSORIES

€ 54,00 (P)

Hans® helmet anchor kit. For one helmet (to be used exclusively with pre-drilled models). According to FIA 8858-2002 rules, HANS® posts can be installed exclusively by the helmet manufacturer or by its authorised dealers.


9000

0

SC731

Dealers authorised by OMP Racing for installing Hans® device www.ompracing.com/pdf/installing\_hans.pdf



















CARBON
















The followin measuremen type: accord brackets by n shows the dis "the weight n ** referring to TYPE W: inne A external n B seat botto C seat botto D total heigh	ts may vary to  ng to FIA reg  eans of at lea  stances betweeters to the coro  o bottom fixing  in side int. 289  max width at  om to mid sh  m max extern	o accomulations ast four been the famplete sign points mm. TY  LEG  t should acoulders and width	the sea olts M8 ixing poi eat (toler of the sli PEY: bo	roduction t must be class 8.8. ints in me ance of 1 iding qui	n. Seat fi e fixed to The diag n. 0%). de. x270 mm	tting o the gram gram width at	seat fixi	-	H interr	nead pro nal widt	h between tection the between tection the two tections are the two tecti	ns een		harn	ess slot		ottom to the
HTE ONE	SHELL	MATERIAL	CUSHIONS SPLIT LEG	A	B	С	D	E	F	G G	н	I	L	HARNESS SLOTS	WEIGHT* (KG)	FIXING	
FIA 8862/2009 HTE ONE 2	CARBON		1	625	620	490	890	380	365	480	365	500	655	5	9.2	w	4
FIA 8862/2009	CARBON		1	680	580	490	970	400	390	515	370	520	700	5	9.9	w	
FIA 8862/2000	CARBON	1	1	615	635	455	900	405	365	470	345	460	630	5	9.2	w	
FIA 8855/1999	CARBON	HA/786	1	615	635	460	890	395	365	470	345	490	620	5	6,2	w	
FIA 8855/1999	ERGLASS A	IR HA/	793	620	635	470	900	390	365	470	370	530	620	5	9.5	w	
FIA 8855/1999	ERGLASS A	IR XL I	1A/794	610	680	490	980	425	400	480	360	520	675	5	10.3	w	A
HRC-R CA	RBON HA/	788	,	615	635	460	890	395	365	470	345	490	620	5	5.8	l l w	
PROTOTIPO		•	•	013	000	400	0.00	333	303	1,0	J-53	130	020		3,0		
FIA 8855/1999 HTE-R HA	CARBON /772E	✓	<b>√</b>	530	520	440	790	385	380	480	360	450	570	5	6,1	w	
FIA 8855/1999	FIBERGLASS	1	1	560	570	515	880	420	390	490	315	480	665	5	9.4	w	
FIA 8855/1999	HA/780E FIBERGLASS	1	1	560	570	515	880	420	390	490	310	420	665	5	10.2	w	
FIA 8855/1999	HA/771E FIBERGLASS	1	1	580	610	530	920	440	415	550	305	485	705	5	10.5	w	
HTE-R CAI FIA 8855/1999	CARBON	68E	1	545	560	465	880	390	370	470	330	490	665	5	6.6	w	1
	RBON XL H	A/779E	1	560	580	485	890	425	390	490	330	490	665	5	6.8	w	

HOMOLOGATION		(®	ONS -EG		MEASURE IN MM												
	SHELL	AIRTEX® MATERIAL	CUSHIONS SPLIT LEG	А	В	С	D	E	F	G	н	ı	L	HARNESS SLOTS	WEIGHT* (KG)	FIXING	
WRC-R H	IA/773E										i		ı	i			
FIA 8855/1999	FIBERGLASS	1	1	620	600	510	890	410	390	480	1	1	645	5	8.8	w	4
WRC-R CA	ARBON HA	769E									i		ı	i			C)
FIA 8855/1999	CARBON	✓	1	590	600	495	890	400	365	490	1	1	645	5	5.6	W	4
WRC-R XI	HA/778E																400
FIA 8855/1999	FIBERGLASS	1	1	665	600	520	920	430	415	480	1	1	700	5	10.7	W	4
ARS-R H	A/774E																
FIA 8855/1999	FIBERGLASS	✓		590	600	500	910	395	370	490	1	1	615	5	8.9	w	4
ARS-R CA	RBON HA/7	770E															
FIA 8855/1999	CARBON	1		585	600	480	890	380	360	490	1	1	635	5	5.8	W	4
RS-P.T. 2	HA/762E																
FIA 8855/1999	FIBERGLASS			565	560	510	880	420	395	480	340	510	675	5	10.4	w	
CHAMP-R	HA/766E																
FIA 8855/1999	FIBERGLASS			590	575	520	890	400	360	480	1	1	615	5	8.8	w	
TRS-E PLU	S HA/744E																
FIA 8855/1999	TUBULAR STEEL			585	640	510	890	410	390	470	1	1	600	5	10.3	W Y	
TRS-E SKY	HA/760E / T	RS LEGI	ND H	A/775													
FIA 8855/1999	TUBULAR STEEL			585	640	510	890	410	390	470	1	1	600	5	10.8	W Y	
TRS-E HA	/741E																
FIA 8855/1999	TUBULAR STEEL			585	640	510	890	410	390	470	1	1	600	5	10.3	W Y	
TRS-E XS	HA/783E																
FIA 8855/1999	TUBULAR STEEL			520	600	420	870	395	330	470	1	1	575	5	10.2	W Y	4
TRS-E XL	HA/781E																Ch
FIA 8855/1999	TUBULAR STEEL			625	680	540	950	450	415	520	1	1	655	5	12.3	W	
FIRST-R H	A/790																
FIA 8855/1999	FIBERGLASS			620	600	510	890	410	390	480	1	1	630	5	8.9	w	4
TRS-X HA	/803																
FIA 8855/1999	TUBULAR STEEL			570	620	500	935	410	390	470	1	/	600	5	10.8	W Y	

#### AIR COOLING KIT





The kit includes:

- a shell to be mounted on the the back of the seat with included shaped bihadesive tape (HC913/G)

- a connection hose (1,5° x 2mt) with inner metal spiral (HC913/T) that can be fixed to the shell and to the blower HC/914 or to others air sources (inner intake of the can)

- a connection junction in rubber (HC/913/R)
- 45° connection junction in rubber (HC/913/R)

All components are sold also separately as spare parts.



#### BACK CUSHION

Preforated back cushion to allow the best coo-ling effect of OMP air cooling system HC/913. Airenet material.

(HA/793)



#### TENO

AIR BLOWER

HC/914

^<u></u>



#### RACING OPTIONS ACCESSORIES

#### LATERAL PAIR CUSHIONS

HB/701 For HRC seats. Sizes: S, M Velour material.

€ 86,00 (C)

#### LEG CUSHIONS

HB/698 Performed leg support cushior Airnet material.

€ 41.00 (C) LEG CUSHIONS HB/700 2 pieces flat leg support cushions. Airnet material.

#### SEAT CUSHIONS

HB/702

Thicker seat cushions for HRC seat.

DUAL ROW LOWER MOUNTING HOLES "A"

€ 47,50 (C)

#### SEAT CUSHIONS

REMOVABLE SEAT CUSHIONS to be set with velcro only on velour upholstered seats.

Foamed resin, velour upholstered Colour: black.

HC/893 Adjustable aluminium cover for 3 safety belt's positions setting. PATENTED

€ 159,00 (C)

The contours of the OMP brackets have been designed so as not to interfere with the lap belt openings, edges or bottom of the seat.

**HEAD CUSHION** 

HB/699

€ 34,50 (C)



#### **BBACKETS**

				_					_
SIDE MOUNT BRACKET DIMENSIONS The dimensions are in mm.	Lowest rear mounting hole "A"	Rear range "B"	Front range "C"	Lowest front mounting hole "D"	Type of bolt pattern	Length of mounting plate "E"	Width of mounting plate "F"	Longitudinal range "G"	Number of holes
HC/731E	110	34.5	93	70.5	В	380	45	75	4
HC/733E	109	17	94	70.5	A	350	52	25	3
HC/830	77	66	66	77	В	495	48.5	126	6
HC/833E	112	51	108	73.5	A	422.5	59	112.5	10
HC/922	85	81	81	85	В	400	52	75	4
HC/923	75,5	100	100	75,5	В	495	50	125	6
HC/924	85	81	81	85	В	400	52	75	4
HC/925	75,5	100	100	75,5	В	495	50	125	6

HC/733E

Low model. Steel. Length: 350 mm Thickness: 3 mm Ultra strong material

#### STEEL BRACKET FIA APPENDIX J art. 253



Tall model. Steel. Length: 495 mm Thickness: 3 mm Ultra strong material.

€ 83,00 (C)

#### SINGLE ROW LOWER

HC/922



#### ALUMINIUM BRACKET FIA APPENDIX J art. 253

STEEL BRACKET FIA APPENDIX J art. 253



Tall model. Aluminium.

€ 119.00 (C)

#### ALUMINIUM BRACKET FIA APPENDIX J art. 253

STEEL BRACKET FIA APPENDIX J art. 253



Tall model. Aluminium HC/833E Aluminium HC/833E/N Black € 139.00 (C)

SEAT BRACKET

HC/928 for HTE ONE XL

€ 315,00 (D)

SEAT BRACKET HC/880

€ 215 00 (D)

SEAT BRACKET Product financed in cooperation with resource: HC/907

€ 1.339,00 (D)

Pair of professional seat bracket in compliance with FIA 8862-2009 rule and mandatory for mounting new HRC-ONE seat (HA/789). Supplied with bolts and nuts. Entirely made of Ergal. (no picture)

#### LOWER MOUNTING HOLES "C"

#### HC/731E



Tall model. Steel. Length: 380 mm Thickness: 3 mm Ultra strong material

€ 59.00 (C)

#### STEEL BRACKET HC/665



UNIVERSAL SEAT SUBRFRAME

Sliding rail kit to be mounted between the brackets and the seat. Steel. Not FIA approved.

€ 41,50 (A)

#### STEEL BRACKET HC/660

Pair of "L" shaped brackets to fit seats with lower attachment points (type Y) to side brackets. Steel.

€ 59,00 (C)

#### ALUMINIUM UNIVERSAL BRACKET

#### HC/666



Universal couple of brackets for seat with lower attachments. lower attachments. Aluminium Not FIA approved.

#### ALUMINIUM BRACKET FIA APPENDIX J art. 253

STEEL BRACKET FIA APPENDIX J art. 253



Tall model. Aluminium. Length: 400 mm Thickness: 6 mm Ultra strong material.

€ 75,00 (C)

€ 106,00 (C)

#### ALUMINIUM BRACKET FIA APPENDIX J art. 253

HC/830

Tall model equipped with

€ 255,00 (C)

**DAMPING FLEMENT** to reduce vertical loads on the driver. Suitable for off-road.

€ 79 NO (C)

HC/879

Weld-in universal seat subframe to be adapted to the shell of the vehicle. Two 35mm squared pipes. Length: 900 mm 4 plates for direct welding to the body (80x60 thickness 3 mm). 4 plates for direct welding to the tube (60x40 thickness 3 mm). 4 buckles for welding M8.

€ 75 00 (A)



#### € 175,00 (C)

2 SIZES M for HRC Fiberglass

XL for HRC Fiberglass XL (HA/794)

€ 83,00 (C)

HB/703

11111

A Back support cushion, small HB/692 € 19,50 (C) B Lumbar support cushion, medium HB/662 € 26,50 (C) C Seat cushion HB/695 € 37,00 (C) D Leg support cushion HB/693 € 37,00 (C)

HSC PATENT















Aluminium brackets.
Tall model audupped with a damper. Patented model.
Length: 495 mm
Thickness: 8 mm

DAMPING ELEMENT

€ 255,00 (C)

FIA APPENDIX J - ART. 253

BRACKETS

HC/830

AIR CUSHION

HB/665/CA

€ 115.00 (C)

Air cushion seat, upholstered in black synthetic leather, pressurzing valve on the front for easy adjustment. Adaptable to any seat, best in cases of high stress as in off-road and speedboat.

# STYLE

### **SEAT**

# DESIGN 2

OMP

€ 289,00 (A)

#### **SEAT**

HA/736E/N

€ 299,00 (A)

HA/719E/N

TESTED AND COMPLYING WITH DIRECTIVE 96/37/CE TURIU AR STEFI

M8 Y BOTTOM FIXING POINTS 345X270 MM

3 SEAT BELT OPENINGS

TESTED AND COMPLYING WITH DIRECTIVE 96/37/CE TUBULAR STEEL M8 Y BOTTOM FIXING POINTS 345X270 MM UPHOLSTERED IN A TEXTURED FABRIC "A-TEX EVO" 2 SEAT BELT OPENINGS abrasion resistant, comfortable in hot or cold conditions, thickness: 3 mm HIGH SIDE PRECISION RECLINING MECHANISM



# STRADA

# **SEAT**

#### HA/750/N

TUBULAR STEEL M8 Y BOTTOM FIXING POINTS 345X270 MM

€ 249,00 (A)



# SEAT

HA/728E/N € 239,00 (A)

TUBULAR STEEL

M8 FIXING POINTS Y BOTTOM 345X270 MM W SIDE 289 MM 4 SEAT BELT OPENINGS UPHOLSTERED IN A TEXTURED FABRIC "A-TEX EVO" OMP abrasion resistant, comfortable in hot or cold conditions, thickness: 3 mm REMOVABLE LEG CUSHION

#### SEATS TECHNICAL SPECIFICATIONS

### SEAT BRACKETS

OMP



LECEND
A ext. max width at shoulders
B seat bottom to mid shoulders
C ext. max width of side bolsters
D tot. height of seat back
E inner width between lateral torso protect
F bottom length
W = side fixing (289 mm)
Y = bottom fixing (345x270 mm)

	~	400	_	
ections	320(***)	RIDE DIRECTION	::	HA/776E/N sliding brack
		345	Г	

<u></u>	-0	5-0-	-0							
			MEASUR	E IN MM						
SHELL	Α	В	С	D	E	F	HARNESS SLOT	FIXING		
STYLE	/ RAID	2						"		4
Tubular steel	560	630	510	970	300	560	3	Υ	HA/719E/N	HA/776T/N
DESIGN	12									1
Tubular steel	540	640	510	950	310	560	3	γ	HA/736E/N	
STRAD	A									
Tubular steel	540	640	510	950	310	560	2	Υ	HA/750/N	
RALLY										
Tubular steel	580	610	490	900	350	480+22	4	W+Y	HA/72RF/N	


#### SEAT MOUNTING EXAMPLES

- Seat with lower attachments points

  1 Sliding brackets (HC/665)

  2 Optional seat bracket
  spacer (HC/687 or HC/685)

  3 Seat mounting bracket (vehicle specific)



#### Seat with side attachments points

- 1 Side mounting brackets (Racing)
  2 Sliding brackets (HC/665)
  3 Seat mounting bracket (vehicle specific)



#### HC/665

Universal slid rail kit to be

Seat mounting bra

€ 41.50 (A)



#### HC/857 Seat bracket spacer to consent seat adjustment.

Seat bracket spacer allows the seat height to be adjusted, depending on which side is used for mounting.


**Height:** + 25 mm or + 50 mm above the vehicle specific adaptor.










































OMP



### SAFETY BELTS ACCESSORIES HANS STRAP BOLDER SEAT BELT PADS DB/450/3 In velour, use with 3" seat belts. Clousure: velcro. PROFESSIONAL CUTTER -€ 16.00 (C) € 23,50 (A) DB/450/3"/R Red SEAT BELT PADS DB/454 A: 57 mm / B: 15.5 mm / C: 20 mm D: 7/16" UNF / L: 22 mm / S: 8 mm In velour, used with 2" seat belts. Closure: velcro. PLATE FOR EYEBOLTS DB/454/B € 2,50 (C) DIMENSIONS: 50x25x6 mm € 16,00 (A) DB/450/N Black SEAT BELT PADS DB/450 In velour, used with 2" seat belts. Closure: velcro. DB/450/B Blue SEAT BELT PLATE DB/418 FIA APPENDIX J art. 253 DB/450/N Black € 16.00 (A) DB/450/R Red

00 PA - 100 FE 45 BOLT-IN AB/100/... FE 45 BOLT-IN AA/104P/... MULTI-POINT WELD-IN AB/106/...A MULTI-POINT WELD-IN AB/106/...B AB/106/...AW Sample drawing FE45 steel bolt-in roll bars with Ø 40x2 & 50x2 tubing, connecting sleeve tubes and renforced brace in the main hoop. Supplied with door bars and diagonal FE45 steel bolt-in roll bars with door bars. To be cut to measure and welded upon installation. AB/106/...A supplied partially assembled. Supplied partially assembled to facilitate and reduce installation cost. Multi-point bolt-in chromoly (25CrMo4) roll partially assembled. AB/106/...AW supplied Abriton...Av supplied not assembled. Multi-point weld-in chromoly (25CrMo4) roll bars. Reduced weight and improved rigidity compared with steel bolt-in roll bars. The images of the rollba next to the root codes at purely illustrative - to verify the actual see the application list on www.ompracing.com REPLACEMENT HOOP AA/103/... AB/105P/... FE 45 WELD-IN AA/105/...A FE 45 BOLT-IN OFF ROAD BOLT-IN R/...



FE45 steel multi-point bolt-in roll bars with Ø 40x2 & 50x2 tubing, connecting sleeve tubes and door bars. To be cut to measure and welded upon installation.



FE45 steel weld-in roll bars with Ø 50x2 tubing on the main hoop and Ø 40x2 tubing elsewhere. It may be necessary to remove or cut interior panels to facilitate installation.



Off road Fe 45 steel bolt-in

The images of the rollbar next to the root codes are purely illustrative - to verify the actual see the application list on www.ompracing.com



AA/103/... AB/107/... Replcement front hoop in FE45 steel (only for AA/104P and AB/105P). AA/102/... AB/108/... Replcement rear hoop in FE45 steel (only for AA/104P and AB/105P).

next to the root codes a purely illustrative - to verify the actual see the application list on

ROLL BARS NOT DISTRIBUTED IN THE US

ROLL BARS NOT DISTRIBUTED IN THE US

### ROLL CAGE ACCESSORIES

### RUBBER SLEEVING

AA/113

AA/113-40 Ø 40 mm € 20,50 (C)

REINFORCEMENT

AA/175 FIA-J ALI

€ 28,50 (C)

Thickness: 3 mm

### CONNECTING TUBE

AA/195



### DOOR BARS

AA/108 FIA-J ALL Pair of door bars FE 45 steel, to be welded (no picture).

Ø 40 mm € 63,00 (C)

### CONNECTION

AA/122

Connection for roll bar, omplete with hardware. € 8,10 (C)

AA/122-50 with tube Ø 50 mm

### REINFORCEMENT

AA/123 FIA-J ALI

Reinforcement to be used with connections AA/122 and AA/122-50.

€ 6,70 (C)

### PLATE

Flat plate lower reinforcement for standard roll bars. Dimensions: 100x120x3 mm

### DOOR BARS

AA/109 FIA-J ALL Pair of door bars FE 45 steel, complete with connections.

Length: 1.25 m Thickness: 2 mm Ø 40 mm € 99,00 (C)

### REINFORCE

AA/200 FIA-J ALL DIS 253-24

Thickness: 1,5 mm Gusset: 80°

### REINFORCE

AA/201

FIA-J ALL DIS 253-24

€ 12,60 (C)

### ENERGY ABSORBING

Molded energy absorbing roll bar padding suitable for both. Length: 490 mm For tube Ø 40/50 mm

APPROVED



### REINFORCEMENT

AA/111 Pair assembled cross door reinforcement, connections included.

€ 218,00 (C)

### REINFORCEMENT

AA/202A FIA-J ANN Pair assembled cross door reinforcement, connections included. Ø 40x2 mm

€ 120,00 (C) REINFORCEMENT AA/203

Front € 22,50 (C) d plates for rollba

Rear

### REINFORCEMENT

AA/111A FIA-J ANN

€ 176,00 (C)

Pair of door reinforcements in FE45. Supplied with connecting sleeves. Nuts and holts included. Nuts and bolts included. Length: 1.25 m Ø 40x2 mm

COVER

REINFORCEMENT

FIA-J ANN

AA/204

AA/113/FT AA/113/FP € 31,50 (C) € 48,00 (C)

AA/113/FT/B (50 o AA/113/FT/R (50 cm) AA/113/FT/B (50 cm) AA/113/FP/R (100 cm) AA/113/FP/B (100 cm)

AA/113/FP/N (100 cm)

Pair of door bar covers in velour material (same as competition seats) to cover rubber sleeving Ref. AA/113 velcro closing.

### SUMPGUARDS, TANKGUARDS AND DIFFERENTIAL GUARDS

Made from a special aluminium alloy, these sumpguards have several functions: they protect the mechanical parts such as sump, gear-box, transmission etc. and they also contribute to stiffen the whole body and the front part of the car. For this reason they are suitable for every day use and are particularly useful for those driving on uneven roads. Search Complete Application List - also on www.ompraciing.com





### CESAL4

### ONE COLLECTION

Very compact and ultralight fire extinguisher system, electrically activated, suitable for saloon cars. FIA 8865-2015 rules complying, Aluminium bottle, the extinguisher can turn of fire in few seconds injecting in the cockpit and in the engine bay different fire-extinguishing medium. The system gets pressurzed when activated enabling the discharge of the extinguishant. 3 nocales are for the engine bay in order to protect the extinguishant. 3 nocales are for the engine bay in order to protect the extinguishant and the extension of the extension for small size ockclipt. L and S systems have the same dimensions and weight, but different amount of fire extinguisher medium in way to be sefa and efficient at the same time. Fixing brackets, clamps, tubing and connections are included.

Total weight: 5,2 kg (only bottle) 5,5 kg (with stainless steel brackets a nd clamps).

### € 2.480,00 (C)

CESAL4L

CESAL4S



Petrol + up to 30% ethanol or methanol Petrol + up to 85% ethanol or methanol (E85)





















ECO





CEFAL3

FORMULA CARS

THE SMALLEST IN THE WORLD





€ 655.00 (C)

### PLATINUM COLLECTION

Extinguisher system (engine compartment and cockpit) electrically activated, with control box, tubings, nozzles. Ultralight aluminium bottle with reduced dimensions.

0.9 It of Ecolife

Total weight: 1,8 kg (with stainless steel brackets and clamps).





















LENGTH 194 mm







ECO







# ANTI-TORPEDO HOSE TABS 2x 1 e8 - 1 e6

ULTRALIGHT

Ø 100 mm

### PLATINUM COLLECTION

Extinguisher system (engine compartment and cockpit) electrically activated, with control box, tubings, noozles, aluminium bottle.

3 It of Ecolife

Total weight: 4,3 kg (with stainless steel brackets and clamps).





















LENGTH 245 mm





ECO OZONE FRIENDLY

ECO



ORO ROLL

CESAL3R

SALOON CARS

SPECIAL FOR RALLY

Ø 160 mm



CEFAL2

FORMULA CARS

### CESAL

€ 745,00 (C)

### PLATINUM COLLECTION

Extinguisher system (engine compartment and cockpit) electrically activated, with control box, tubings, nozzles. New ultralight aluminium bottle with reduced dimensions.

1.3 It of Ecolife.

Total weight: 2,5 kg (with stainless steel brackets and clamps).

































ULTRALIGHT



# CEFAL

€ 530,00 (C)

€ 689.00 (C)

### WHITE COLLECTION

Extinguisher system (engine compartment and cockpit) electrically activated, with control box, tubings, nozzles, aluminium bottle.

2,8 It of Ecolife.

Total weight: 4,3 kg (with stainless steel brackets and clamps).







Ø 160 mm



















### CESAL 2

### WHITE COLLECTION

Extinguisher system (engine compartment and cockpit) electrically activated, with control box, tubings, nozzles, aluminium bottle.

4.25 It of Ecolife

Total weight: 6,2 kg (with stainless steel





CESAL2 SALOON

Ø 160 mm



















ECO





CMSST1

SALOON CARS





# ECO € 489.00 (C) LENGTH 330 mm

CESST 1

### CESST1

OR'S

SALOON CARS SPECIAL FOR RALLY

Ø 160 mm





BLACK COLLECTION

Total weight: 7,7 kg (with stainless steel brackets and clamps).

4,25 It of Ecolife.

Extinguisher system (engine compartment and cockpit) electrically activated, with control box, tubings, noozles, steel bottle.











CMFST 1

€ 269,00 (C)





ECO DZONE FRIENDLY



CMFST1

FORMULA CARS



### CMSST 1

€ 275,00 (C)

### **BLACK COLLECTION** Extinguisher system (engine compartment and cockpit) mechanically activated, steel bottle, com with tubings, nozzles, steel bottle.

4,25 It of Ecolife

Total weight: 8,1 kg (with stainless steel brackets and clamps). APPROVED





















OMP





Extinguisher system (engine compartment and cockpit) mechanically activated, tubings, nozzles, steel bottle.

**BLACK COLLECTION** 

2,8 It of Ecolife.

Total weight: 5,6 kg (with stainless steel brackets and clamps).





Ø 130 mm

















OPP POR

### OMP SPORT









Ø 160 mm



**OMP SPORT** 

4.25 It of Ecolife. Total weight: 8,1 kg (with stainless steel brackets and clamps).



APPROVED

Extinguisher system (engine compartment and cockpit) mechanically activated, steel bottle, complete with tubings, nozzles, steel bottle.























### HAND HELD EXTINGUISHERS

### ALUMINIUM EXTING.

Aluminium hand held extinguisher, 2 Kg powder. Complete with stainless steel brackets and quick release clamps. Total weight: 3,1 kg

Ø 108 mm



CAB/319

OMP

CAB/316

CAB/322 STEEL EXTING. Steel hand held extinguisher, 4 Kg powder, A/B/C classes. Complete with stainless steel brackets and quick release clamps. FN3 ANTI-TORPEDO TABS INCLUDED 2x Ø 160 mm € 91.00 (C)

€ 72.00 (C)

### STEEL EXTING.

Steel hand held steel nand ned extinguisher, 2.4 | Ecolife. Complete with aluminium brackets and stainless stee quick release clamps. Total weight: 5 kg IN COMPLIANCE WITH FIA RULES

Ø 130 mm

CAB/319/R Red CAB/319 Black

€ 108,00 (C)

### ALUMINIUM EXTING. CBB/351

Aluminium hand held extinguisher, 2.4 l Ecolife. Complete with aluminium brackets and stainless ste quick release clamps. Total weight: 4 kg

IN COMPLIANCE WITH FIA RULES Ø 130 mm







5

(三)

### REPLACEMENT PARTS

### PLATINUM - WHITE - BLACK COLLECTION

CD/393 € 5,00 (C)

X/363/E/CAV

Electric extinguisher valve cable w. jack. € 19,50 (C)

specifically for Ecolife systems to be threaded onto "T" or "L" connectors.

CD/398 Control box for electrically activa units with wiring harness 1,5 m

CD/360 € 178,00 (C) 6

€ 89,00 (C)

X/398/CAV

€ 11,60 (C)

CD/392/N <sub>∈ 7,00 (C)</sub>

Reduction tube ø 6-8 mm. ∈ 5,00 (C)

CD/399

CD/323/N/8

Aluminium tubing ø 8 mm - L. 5 m ∈ 16,00 (C)

systems. With new advanced electronic unit complying with FIA 8856-2015 rules. Complying with IP55 waterproof standard.

EA/467 € 13,50 (C)

X/181493 € 4,60 (C) Rubber ring for push button EA/467

CD/392/N/6 ∈ 5,70 (C)

CD/391/N

90° end connection, 1/8" shaped with qui ø 8 mm € 6,20 (C)

CD/323/N/6

CD/356 € 21,50 (C)

Bracket for ALUMINIUM HAND HELD extinguisher: CBB/351 ø 130 mm

5 m roll, ø 10 mm (or ø 8mm ref. CD/324/8/N). € 11,10 (C)

CD/324/10/N

# PLATINUM COLLECTION

### CD/395/N

Straight connection ø 8 mm (1/8" junction). € 3,60 (C)

CD/390/N 3-way connection with quick attachments, ø 8 mm. € 6,50 (C)

© 8 mm. € 0,00 10, CD/391/N/6

90° end connection, 1/8" shaped with quick attachments. Ø 6 mm € 4,60 (C)



Ecolife: CAB/319, ø 132 mm



CD/407 Y shaped connection with quick attachments ø 8mm (no picture) € 7,40 (C)

### HAND HELD EXTINGUISHERS

CD/312 € 22,00 (C) Bracket for HAND
HELD STEEL
extinguishers Ecolife:
CAB/319, ø 132 mm

CD/404 € 19,00 (C)

CD/405 € 19,50 (C)
Bracket for STEEL extinguisher
CAB/322, ø 160 mm (no picture)

Anti-torpedo tabs for double brackets extinguishers (e.g. CEFAL2).



Anti-torpedo tabs for mono brackets extinguishers (e.g. CEFAL3). € 15,00 (C)

CD/394 € 3,60 (C)





CD/390 € 6,20 (C)

3-way connection with quick attachments.

CD/309 € 21,50 (C)

Bracket for HAND HELD STEEL extinguishers Ecolife: CAB/316, ø 108 mm (no picture)

### CD/395 € 3,60 (C)



CD/323/A € 6,30 (C)

Aluminium

tubing ø 6 mm - 4 m

Bracket only for OMP Sport CA/372 (no picture)

CD/335

CD/404 € 19,00 (C)

CD/314

WHITE - BLACK COLLECTION - OMP SPORT

CD/392



€ 22,50 (C)

CD/391 90° end connection, 1/8" shaped with quick attachments.



CD/308 € 19,00 (C)

Bracket for fixed bottles for systems in either STEEL or ALUMINIUM, ø 160 mm



CD/416 CD/416

Straight connection, 1/8" with quick attachments. Ø 8mm € 8,50 (C)

CD/414

"Y" shaped connection 1/8" with quick attachments. Ø 8mm

CD/323/A € 6,30 (C)

### ONE COLLECTION

CD/415

90° end connection, 1/8" with quick attachments. Ø 8mm ∈ 8,50 (C)



Nozzle (cockpit) specifically for CESAL4 € 69,00 (C)

CD/412 

CD/360 € 178,00 (C)

Control box for electrically activated extinguishing systems. With new advanced

electronic unit complying with FIA 8856-2015 rules. Complying with IP55 waterproof standard

X/855 €1,00 (P)



### CD/408 CD/409

Fixing brackets with clamps for CESAL4.
Anti-torpedo. € 45,00 (C)

CD/393/N Atomizer nozzle (engir bay) specifically for Ec systems € 6,00 (C)

X/CAB/CESAL4

Electric wiring for CESAL4 extinguisher

CD/324/10/N

€ 11,10 (C)

X/181493

€ 4,60 (C)

Aluminium tubing ø 8 mm L 4 m



€ 12,50 (C)



### 320 HYBRID S

SUEDE LEATHER

CARBON DYNEEMA®

### SUPER PROFESSIONAL RALLY STEERING WHEEL

Flat steering wheel made with a new exclusive composite technology (carbon fiber and Dyneema®) 300% more resistant than the carbon steering wheel and 20% lighter. Supplied with horn button. Prepared to install 4 bottoms (not included) Realized and developed in cooperation with Sebastien Ogier, VRC world champion with W Motorsport. OVER 20% LIGHTER
300% MORE RESISTANT
NCOMPANISON WITH CARGON VERSION

4 PREDRILLED Holes



### OD/2048

CARBON FIBER AND DYNEEMA® FLAT SUPPLIED WITH HORN BUTTON

€1.030,00 (D)



Completely made in aluminium and suede leather. Studied and ready for the installation of most popular electronic display like: MoTec C125 and AiM MXL




310 ALU GT

OD/2044/N ALUMINIUM FLAT

ORO RES

€ 385,00 (C)











Diameter: 320 mm Handgrip: oval 35x24 mm

€ 675,00 (C)

### 320 CARBON S

### SUPERLIGHT PROFESSIONAL STEERING WHEEL

Carbon steering wheel is constructed as one integral piece.



Diameter: 320 mm Handgrip: oval 35x24 mm

DESIGNED IN COOPERATION WITH P. SOLBERG

### OD/2032/N CARBON FIBER FLAT SUPPLIED WITH HORN BUTTON

SUPERLIGHT PROFESSIONAL DISHED STEERING WHEEL

Carbon steering wheel is constructed as one integral piece.

# and the same of th

CARBON FIBER DISHED SUPPLIED WITH HORN BUTTON

Diameter: 350 mm Handgrip: round 30 mm

€ 551,00 (C)

OD/2028/N





# 320 ALU SP

### LIGHT PROFESSIONAL STEERING WHEEL

Made completely in aluminium and suede leather. Preforated version with central hole supplied with horn buttor

This version has been derived from the model 320 Carbon S, which has been designed in cooperation with P. Solberg (FIA World RX 2014/21015 Winner)

# SUEDE LEATHER



OD/2042

320 ALU S

Same characteristics as OD/2042F. Standard version.

MADE COMPLETELY FROM ALUMINIUM



### OD/2042F

ALUMINIUM FLAT SUPPLIED WITH HORN BUTTON

€ 219,00 (C)

### STEERING WHEEL

Flat steering wheel, in aluminium, 350 mm diameter, round 30 mm handgrip. With colored marks on the crow to indicate steering wheel angles (0° - 25° - 55° - 100° - 160°)

SUPER PROFESSIONAL RALLY



RECCE



OD/2046

FLAT

ALUMINIUM


SUPPLIED WITH HORN BUTTON

Diameter: 350 mm Handgrip: round 30 mm

ALUMINIUM DISHED SUPPLIED WITH HORN BUTTON

€ 234,00 (C)

SUEDE LEATHER



40% LIGHTER

### OD/2020/N

Diameter: 320 mm Handgrip: oval 35x24 mm

ALUMINIUM FLAT SUPPLIED WITH HORN BUTTON



VELOCITA' OV SUPERLEGGERO

Same characteristics as OD/2020/N. Oval section version. Diameter: 320 mm . er: 320 mm

€ 276,00 (C)



OD/2035/N

Diameter: 350 mm Handgrip: round 30 mm



### ORSICA SUPERLEGGERO

OD/2021/N

40% LIGHTER

### LIGHT PROFESSIONAL STEERING WHEEL

Made completely in aluminium. 40% lighter than equal model Corsica OD/1954.



CORSICA OV SUPERLEGGERO

Same characteristics as OD/2021/N. Oval section version. Diameter: 350 mm

€ 276,00 (C)



OD/2034/N



# CORSICA OD/1954 OD/1956 DISHED SUPPLIED WITH HORN BUTTON €169,00 (C) SUEDE LEATHER BLUE ANODIZED Spokes

# PROFESSIONAL STEERING WHEEL Made in aluminium and steel. 0D/1954/BN





In suede leather. Titanium colour anodized spokes Yellow stitching. In suede leather. Black anodized spokes. Yellow stitching.



OD/1954/AN In suede leather



In smooth leather. Black anodized spokes. Yellow stitching.



In smooth leather. Black anodized spokes. Red stitching.



In smooth leather. Gray anodized spokes. Yellow stitching.





RALLY



spokes. Yellow stitching



spokes. Black stitching




Diameter: 350 mm Handgrip: round 30 mm Depth: 95 mm

OPP PAR









VELOCITA 380

€176,00 (C)

OD/1987/NN

### ORP AND OD/1990/NN SUEDE LEATHER







Diameter: 330x290 mm Handgrip: oval 35x27 mm

### TARGA



Handgrip: oval 35x30 mm

€ 182,00 (C)

### TRECENTO

# FORMULA QUADRO



OD/1975/N OD/1976/N €146,00 (C) €155,00 (C)

SUPPLIED WITH HORN BUTTON





Diameter: 300 mm Handgrip: oval 37x27 mm

### OD/1972/N SINGLE SEATER BLACK ANODIZED SPOKES € 139,00 (C) SUEDE LEATHER MAHUFACTURED

### INDY



**KUBIK** 



FLAT SUPPLIED WITH HORN BUTTON

€171,00 (C)



Diameter: 310x265 mm Handgrip: oval 35x28 mm



INDY OPEN

Same characteristics as OD/2016/NN.
Open upper part version.



OD/2017/NN

€193,00 (C)

Diameter: 250x170 mm Handgrip: oval 35x25 mm



ORO ROD H

Diameter: 250x200 mm Handgrip: oval 35x25 mm

### MUGELLO

BLACK STITCHING

### **STEERING WHEEL**

### OD/2023/LE

FLAT WOODEN

### CROMO

### **STEERING WHEEL**

OMP



€89,00 (C)



### OD/2018/LN

FLAT SUPPLIED WITH HORN BUTTON €101,00 (A)

Diameter: 350 mm Handgrip: oval 32x27 mm

### VINTAGE



### **ASSO**

# BLACK STITCHING CHROME SPOKES SMOOTH LEATHER

### OD/2019/LN

**STEERING WHEEL** 



POLYURETHANE

POLYURETHANE

SIMULATING PERFORATED

SIMULATING PERFORATED

### RACING GP

### STEERING WHEEL

### OD/1981/NN

€94,00 (A)

FLAT SUPPLIED WITH HORN BUTTON



Diameter: 330 mm Handgrip: oval 32x27 mm

### TRECENTO UNO STEERING WHEEL

BLACK ANODIZED SPOKES

BLACK STITCHING

BLACK ANODIZED SPOKES



FLAT SUPPLIED WITH HORN BUTTON



Diameter: 300 mm Handgrip: oval 37x27 mm

### STEERING WHEELS ACCESSORIES



see the application list on www.ompracing.com and on QR code

### QUICK RELEASE HUB

Quick release hub in aluminium with 6 holes. Compatible with 3 or 6 holes steering wheel. Available in to be welded version (005/024/W) or in to be bolted version (005/024/B). Recommended to be use PTFE dry lube to get the best parformance and preserve all components.

ODS/024/W to be welded €240,00 (C)

€ 400.00 (C)

NEW

### FIXED STEERING WHEEL SPACERS

€85.00 (A)



### ADJUSTABLE STEERING WHEEL SPACERS

### ODC022171

Adjustable in 4 positi 24 / 34 / 44 / 54 mm collapsible steering wheel hub (featuring a collapsible sheet metal frame).



€155,00 (A)

Also available with 11 pin professional electrical connector included (this part is an high performance interconnection engineered with arcshape metal guides, which ensure a rapid and precise alignment of the 11 contacts. Aluminium body, 1985 sealing, 10000 cycles guarantee, high temperature and chemical resistance)

ODS/024/B

to be bolted €220,00 (C)

ODS/024/BE

to be bolted with co € 380,00 (C)



### WHEEL PLATE

# OD/2029

For use of up to 2 buttons (included). 2 drill points for attachment betwee steering wheel and hub. Fixing screws included



€89,00 (C)

€70.00 (C)

### WHEEL PLATE OD/2026

For use of up to 4 buttons (not included) 6 drill points for attachment. Fixing screws includ



### STEERING WHEEL HUBS

### OD/1960/...

These steering wheel hubs have been designed so as to maintain the original steering wheel (flat model) position. When ordering a steering wheel hub you will be required to quote the product code as follows: OD/1960 + vehicle specificande.







# NA/1876 several seat positions. Designed to be mounted on the left or on the right side of the driver. FIA HOMOLOGATED € 99,00 (C)

APPROVED MODEL: NA/1876 HOM, NO: RN.010.17

### NA/1870/TN



### TENOMINE TENOMINE NA/1875

OP.

Professional racing net with small-sized quick relase to improve driver's field of view and front strap adjustment to fit with several seat positions. Designed to be mounted on the left or on the right side of the driver.

FIA HOMOLOGATED 8863-2013

€ 209,00 (C)



(APPROVED MANUFACTURER: C MODEL: NA/1875 HOM, NO: RN.006.16

### NA/1877

Professional top level racing net with quick relase, quick front step adjustment to fit with several seat positions, large triangle to allow an easier mounting complying FlA rules and thinner straps to improve driver's field of view. Designed to be mounted on the left or on the right side of the driver.

FIA HOMOLOGATED

€ 269,00 (C)



APPROVED.

### RACING ACCESSORIES

### BONNET PINS AND TOW HOOKS



NA/1700

NA/1700/R Red € 17,00 (C)

NA/1700/B Blue € **15,50 (C)** NA/1700 Trasparent € 15,50 (C)

Polyethylene splash guard. Dimensions: 50x30 cm Thick: 1,5 mm



NA/1819

support with quick releas

€ 37,00 (C)



NA/1821



NA/1820

€ 35,50 (C)



Ear plugs

€ 4,10 (C)



EB/489

€ 25,00 (C)

EB/491

€ 24,00 (C)

steel spring clips Suitable for hatchbacks.

EB/487/N

€ 30,00 (C)

EB/578/R

FIA APPENDIX . art. 253

€ 16,50 (A)



EB/480 € 27,00 (C)

M10 aluminium pins with small sliding pins in

EB/490

€ 23,00 (C)

EB/483

€ 18.50 (C)

EB/580

€ 22.00 (A)



100 PM

EB/492 € 21,00 (C)

EB/492/R Red EB/492/A Aluminiur

EB/492/N Black Quick release bonne pins aluminium W 7/16" with stainless steel hardware.









€ 18,00 (A)

Tow hook, stainless steel painted finish. Stud: M 12 Internal Ø: 50 mm Thickness: 8 mm Complete: locking nut and washers.

EB/576

FIA APPENDIX . art. 253


€ 19.50 (A)

Tow hook, stainless steel painted finish. Stud: M 12 Internal Ø: 80 mm Thickness: 8 mm Complete: locking nut and washers.



NA/1822

NA/1859 NA/1859081 Grey NA/1859071 Black



### RACING PEDALSETS AND FOOTRESTS

### RACING PEDALSETS AND FOOTRESTS

# OA/1010 Complete 3 pedal in sandblasted aluminium, with a long accelerator pedal. Supplied with steel bolts. Dimensions brake: 60x100 mm Dimensions accelerator: 60x210 mm

€ 26.00 (A)



€ 16.50 (A)

OA/1030

complete 3 smooth aluminium pedal, suitable for rally use, already drilled and countersunk Supplied with steel bolts.

Thick: 3 mm

€ 15,50 (A)

### OA/1000



Complete 3 pedal in sandblasted aluminium, with standard accelerato Supplied with steel bolts. Dimensions brake: 60x100 mm Dimensions accelerator: 60x100 mm

€ 25.50 (A)





Complete 3 pedal in sandblasted aluminium Complete 3 peach ... with standard accelerator pedal. Supplied with steel bolts. Dimensions brake: 60x70 mm

€ 15.50 (A)

### OA/1050



Same features as partnumber 0A/1030, but the surface of the pedals is in knurled aluminium and can be shaped as needed. **Thick:** 2,5 mm

€ 15,50 (A)

### TENDAL

# OA/2070

Driver's left footrest in knurled luminium. Dimensions: 285x120 mm

€ 24.00 (A)



Co-driver's footrest in knurled aluminium Dimensions: 335x300 mm

€ 58,00 (A)



Co-driver's footrest in sandblasted aluminium Supplied with steel bolts and brackets. Dimensions: 320x280 mm

€ 38,00 (A)

### OA/1867

OF THE PARTY OF TH



€ 21.50 (A)



Universal flat footrest in knurled aluminium. Dimensions brake: 365x418 mm

€ 28,50 (A)

ODA/2002



Light racing gear knob in silver anodized aluminium. Threaded coupling M8-M10. Dimensions: high 65 mm Ø 50 mm

€ 41,00 (A)

### PIT BOARDS

### KC/1068 **PROFESSIONAL**

Aluminium frame.
Dimensions: 100x72 cm
Complete with 42 cards
of numbers, letters and
symbols measuring
23x14 cm and one
customizable customizable
plate 23x65 cm supplied
in a synthetic leather
bag, which stores sidely
on the aluminium frame
when not being used.

€ 126,00 (C)



KC/1067 TRIPLA

Dimensions: 72x72 cm Complete with 24 cards of numbers, letters and symbols measuring 23x14 cm

Hillin

€ 105,00 (C)

KC/1069

42 spare cards for pit boards KC/1067 and KC/1068, supplied in a synthetic leather

### TYRE WARMERS

THO AND DINE

ON 1000

A line of tyre warmers available in 4 different standard sizes, offering greater versatility across a wider range of tyre sizes and now available in two types: with a standard temperature control thermostat or with a central electronic temperature control box.

Interior: Nomes\*.
Exterior: Cordura\* which improves transpiration allowing moisture to escape away from the tyre.
Exterior: Cordura\* which improves transpiration allowing moisture to escape away from the tyre.
Electrical cables and connectors are compliant with EEC electrical standards.

Upon request, tyre warming blankets can be made to measure. Tyre warmers for motorcycles are also available upon request. Tyre warmers models with a Standard Temperature Control allows the tyre surface to reach 80/85 °C. The time required to reach this temperature is depends on ambient temperature, tyre dimensions and operating conditions.

Tyre warmers models with a Central Electronic Temperature Control Box (part number 1200) allows each of the 4 tyres to have individual temperature settings. The control box features an electronic control device controlled by software preventing overheating. The external case of the control box is ABS plastic with an electrical protection rating of IP44.

Vidth: 190/200 mm Ø 630/640 mm

Width: 230/260 mm Ø 630/645 mm

T1957C Width: 190/220 mm Ø 570/220 mm € 484,00\* (C)

€ 504,00\* (C)

T1957 Width: 190/220 mm Ø 570/585 mm € 504,00\* (C)

Vidth: 190/200 mm Ø 630/640 mm € 452,00\* (C) Width: 230/260 mm Ø 630/645 mm

€ 452,00\* (C)

€ 432,00\* (C)

€ 452,00\* (C)

€ 1.622,00 (C)

OC/1063

€ 33,50 (C)

Electronic thermostatic control box with digital display for 4 tyre warming blankets.

### **ELECTRICAL ACCESSORIES**



€ 36.00 (C) EA/462

EA/464 € 8,00 (C)

Spare key for EA/462 model. € 16,00 (C)

€ 6.00 (C)

EA/463



€ 53.00 (C) KA/1035

€ 50,00 (C) KA/1036 Professional model, flexible led. Long: 40 cm STAY-BARS



Stay-bars, pair of zinc plated steel stay-bars for spotlights. Variable length: 130/195 mm



EA/466

EA/467 For exterior use water resistant.



## € 504,00\* (C) Width: 230/260 mm Ø 600/620 mm Width: 230/260 mm Ø 600/620 mm THE MEASUREMENTS REFER TO THE TYRE SIZES CUSTOM MADE MEASURE ON REQUEST \*Price is for single REMOVABLE WITH VELCRO NEW!

€ 1.622,00 (C)

Electronic thermostatic control box with digital display for 2 tyre warming blankets.

### CHRONOMETERS

### CO-DRIVER

### HANDHELD STOPWATCH

CHRONOGRAPH: with partial and total elapsed times up to 9h 59'59''99, lap times. CLOCK: with alarm clock and Pacer dater. TIMER: with countdown function.



KB/1041 € 19,50 (C)

LIQUID CRYSTAL HANDHELD STOPWATCH

CHRONOGRAPH: with split, total elapsed times up to 9h, 59', 59'', 99 seconds.

CLOCK: displays hours, minutes, seconds, alarm clock with 12/24h option.

TIMER: with presettable countdown timer. 60 lap memory and lap counter. Shows fastest lap, slowest lap and average lap times.

60 MEMORY



CO-DRIVER'S PAD NA/1863 NA/1862

€ 29,50 (C)

Nylon carrying bag for one complete set of 4 tyre warmers

NA/1863 Size: A4 Pages: 130 NA/1862 Size: 17,3x22 cm € 30,00 (C) € 14,20 (C)

CO-DRIVER PLUS ORA/2966

Lightweight backpack with organizational features inclused plenty of internal and external accessory pockets.

€ 49,50 (P)

DIMENSIONS

PENHOLDER



Spring penholder, 4 penholders each.

CO-DRIVER BAG ORA/2967

Light weight sporty brief bag with removable shoulder strap. DIMENSIONS: 44,5x6x25 cm





### TUNING PEDALS SETS

OMP







OA/1067





€ 22,50 (A)

3 PEDALS



€ 22,50 (A)

C

C

a C

0.0





€ 22,50 (A)





0A/1067/A

Complete 2 pedal set with long accelerator pedal; anodized aluminium and pressure die-caster sandblasted aluminium with anti-slip design, brake pedal for automatic transmission.
Dimens. brake: 140/79 mm
Dimens. accelerator: 65x180 mm
Supplied with steel bolts.







OA/1069

Complete 3 pedal set, in anodized aluminium and sandblasted aluminium, with long accelerator

Complete 2 pedal set in anodized Complete 2 pedal set in anodized aluminium and pressure die-caster sandblasted aluminium with anti-slip design with short accelerator pedal and brake pedal for automatic transmission. Dimens. brake: 140x70 mm Dimens. accelerator: 55x106 mm Supplied with steel bolts.

2 PEDALS





€ 22,50 (A)

OA/1068/A Silver



### TOW HOOK



PC02001



OA/1040

Complete 3 pedal set with short accelerator pedal in silver anodized aluminium. Inserts: rubber anti-slip. Dimens. brake: 60x80 mm Dimens. accelerator: 60x105 mm Supplied with steel bolts.

PRECURVED



€ 22,50 (A)





€ 11,40 (A)

### STRUT BRACES

OMP



### CHEMICAL PRODUCTS

PC01001 € 9.30 (A) FINE WHEELS

Concentrated detergent for steel wheels, alloy wheels and brake calipers.

Contents: 750 ml

PC02002 BLACK LIGHT

FIRE PAINT Transparent black acrylic paint for personalization of indicator lights. Colours: black, green, blue. Contents: 400 ml Special high temperature paint for exhaust systems, brake calipers, engines, etc.

Colours: red, blue, yellow, black, silver, gold.

Contents: 400 ml

€ 10,40 (A)







We are the leading European manufacturer of strut braces, offering over 1000 vehicle specific applications.

Our strut braces are engineered to keep suspension geometry unlatered in hard cornering, while improving feedback to the drive.



ONE EVO STYLE DESIGN

OR5903080XX

TWO POCKETS

TWO POCKETS

New Levi Strict Districts

Round-neck sweater with hood made of cotton fabric.

Also available in neutral version without logos for team customizations upon request (OR5903N).

### RACING SPIRIT SOFTSHELL

### RACING SPIRIT SOFTSHE

### LONG SLEEVED SOFTSHELL JACKET

LUNG SLEVED SOFTSHELL JACKET
94% polyester 6% spandax,
windproof, breathable, inner fabric
in mesh, front zip, two lateral
pockets with zip closure, adjustable
velco wirst's closure, inner pocket
with zip closure, inner adjustable
string with stopper.
Easy customization thanks to
the zip clouser at the lining
bottom.



### NO SLEEVED SOFTSHELL JACKET SIZES: S-XXL

OR5910

€ 77,00 (P)

94% polyester 6% spandex, windproof, breathable, inner fabric windproof, breathable, inner fabi in mesh, front zip, two lateral pockets with zip closure, inner pocket with zip closure, inner adjustable string with stopper. Easy customization thanks to the zip clouser at the lining bottom.

OR5913 SIZES: S-XXL

€ 69,00 (P)

OR5905



RACING SPIRIT POLO

### RACING SPIRIT HOODIE

OW

### OR5903

SIZES: S-XXL

HOODIE

OME

€ 66,00 (P)







OR5918

### OWK RALLY T-SHIRT

RALLY T-SHIRT

### SENNA T-SHIRT



ONE COLOUR: BLACK SIZE: XS-XXXL

SENNA T-SHIRT

OR5916

SIZES: XS-XXXL € 29,00 (P)







### KART T-SHIRT

OW

### STRIPED LOGO T-SHIRT





OR5904020XX

LONG SLEEVED SHIRT

Made in cotton fabric with embroidered "OMP" logos.

OR5902020XX

### OWI RACING SPIRIT T-SHIRT

### BLACK T-SHIRT



OR5907 € 19,00 (P) SHORT SLEEVED T-SHIRT ONE COLOUR: BLACK SIZE: XS-XXL Made in cotton fabric with yellow "OMP" logo. OMF CHILDREN SIZES: 2 YEARS - 4 YEARS



OME

### OR5902


SIZES: 38-39-40-41-42-43-44

€ 56,00 (P)

# OMP BAGS

ORA/2964







### FIRST BACKPACK

ORA/2965 € 35,00 (P)

Sportswear backpack in resistant nylon fabric, with external pocket and a pratic handle. Length adjustable shoulder straps.

OMP

DIMENSIONS: 40 x 30 x 18 cm



# OMP BAGS

### OMP BAGS







# ACCESSORIES











OM

### RANG

# MANUFACTURED AND DISTRIBUITED BY C. K. EUROPE ® S.R.L.S. WWW.CARBONKEUROPE.COM ELECTRIC SCOOTER IN CARBON FIBER 250W 24V Electric scooter made of superlight carbon fiber Weight: 6.8 Kg Top speed: 25 km/h 3 version available: 10km/20km/30km Max load: 150 Kg Available colors: black carbon ELECTRIC SCOOTER FOR CHILDREN Electric scooter for 4 to 15 years old children. Space-saving folding chassis for an easier carriage. Weight: 12 kg Top speed: 12 km/h Max range: 10 km with a 4 hours of recharge Max load: 55 g Available colors: Blue, Black, Green

PR922

€ 176,00 (P)

€ 7,20 (P)

X/963/CINT

Safety harnesses fasten structure to be matched with the seat support X/963.

€ 50,00 (P)

el seat display base with two bolt terns to accommodate mounting of OMF

### PRACTICAL TO CARRY AND PERFECT TO MOVE QUICKLY AROUND THE PADDOCK OR **EVERYWHERE YOU WANT**

### **ELECTRIC SCOOTER WITH SEAT** 500W 36V

Soury 30V
Electric scooter with seat, for adults and boys from 14 years old. High quality materials and modern design, with 10" wheels, disc brake and chain drive. Space-saving folding chassis for an easier carriage Weight: 28 Kg
Top speed: 25 Km/h
Max range: 25-30 km
Max load: 120 Kg
Available colors: White, Black
Homologated for road use with a mandatory registration.





### HOVERBOARD 500W

RUVENBUAND 30UW

2-wheeled electric hoverboard for boys and adults. Suitable for moving also on long distance, it can be used on sidewalk, inside malls and around the paddock.

Samsung Littum batteries (2x36V 4.4Ah) 6,5"wheels.

Recharge time 4-6 hours

Maximum load 90 kg

Top speed: 17 Km/h

Max range: 20 km

Available in different colors.

### PROMOTIONAL

X/694E/15





Mechanic stool with air-operated adjustment in height, base with 5 wheels, small basket and tool case.



















Racing design nylon band Height: 15 cm Roll: 7 kg.

OMP

€ 9,60/kg (P)

















### HARNESS PAD





### TAZIO






























· /20/20 3







KK03022E





Kart balaclava for winter use made of new stretch fabric. Made with "3D" seamless technology for the best comfort.
Size: one size fits all.



### KK03018 € 26,00 (C)





KK03005041 Blue

KK03005071 Black

# KK03017 € 24,00 (C) Stretch fabric, hydrofobic higly hygienic hollow fiber. Low density jacquard weaving for high breathability for use in hot conditions. SIZES:

SMA (corresponding sizes XS/S - suit sizes 44-48) MED (corresponding sizes M/L - suit sizes 50-54) XLAR (corresponding sizes XL/XXL - suit sizes 56-60)



ONE SIZE

















### **GLOVES**

KK02745


€ 99,00 (C)

SIZES: XXS-XXL sizing information on page 317

ARP - ADVANCED RAIN PROOF GLOVES
WATER REPELLENT EXTERNAL THREATMENT
Rainproof kart gloves with waterproof membrane to
protect hands against rain and bad weather.


























FULL FALE KARIIINE HELINE!

CMR helmet made in composite material.

Lighweight, with soft and comfortable high breathability internal lining, bordered strap with double ring clousure and high precision adjustable visor with easy block system.

AR VENTS

And intakes to ensure the best air ducting



HELMET

SC790

€ 229,00 (C)

HOMOLOGATION: CMR 2016 TWO SHELL SIZES SIZES: XXS-L sizing information on page 317

### CIRCUIT

### HELMET SC611E

### STAR

### HELMET

FULL FACE KARTING HELMET

Full face thermoplastic helmet, velvet lining (not fireproof), step setting visor

€ 89,00 (C)

HOMOLOGATION ECE 22.05 SIZES: XS-XXL

OPEN FACE KARTING HELMET

Open face helmet with ABS shell, velvet lining not fireproof, with revomable peak.

€ 71,00 (C)

HOMOLOGATION ECE 22.05 SIZES: S-XXL









### HELMET ACCESSORIES

### GP 8K (SC785K)

NB: Spare parts for old helmet models are still available on our website www.ompracing.com, in the helmets section.



### KJ 8 (SC790)

NB: Spare parts for old helmet models are still available on our website www.ompracing.com, in the helmets section.



### HELMET SPARE PARTS

### CIRCUIT (SC611E)

NB: Spare parts for old helmet models are still available on our website www.ompracing.com, in the helmets section



### STAR (SC607E)

NB: Spare parts for old helmet models are still available on our website www.ompracing.com, in the helmets section.



### ACCESSORIES

### PROTECTIONS



KK04003

€ 59,00 (C)

Anatomic homologated collar in expanded polyurethane mult density foam with increased rigidity at the rear "fin" of the collar One size.

F DF K 1997 HOMOLOGATED

KK04003000073 Red/black

KK04003000075 Blue/black KK04003000071 Black



### **COLLAR**

KK04009

€ 48,00 (C)

New waterproof kart neck support collar, modern K STYLE design. One size.



KK04XXX

KK04006071 Padded elbow pads € 16,00 (C)

KK04005071 Padded knee pads. € 16,00 (C)

ONE SIZE

### KS BODY PROTECTION KK048

€ 119,00 (C)

In polycarbonate material. Provides support and protection to ribs and back. Adjustable straps to improve comfort fittings. Properly shaped and stuffed to have ultra-comfort



LIGHTWEIGHT AND

SIZES: XS/S (lower chest 70-89 cm / height 160-170 cm) M/L (lower chest 89-110 cm / height 170-190 cm)

### RIB PROTECTION VEST

KK04001

Straps: double adjustable Cover: stretch fabric.

KK04001XXX041 Blue KK04001XXX061 Red KK04001XXX071 Black

SIZES: XS - XL



KARTING ACCESSORIES

### SHOE COVER

€ 24,50 (C) KK08071XX

Sizes: XS (32/34) S (35/37) M (38/40) L (41/43) XL (44/47)

SIZES: XS - XL

### CARBON RIB PROTECTION VEST

KK047E

€ 99,00 (C)



Carbon fiber rib protection vest. **Straps:** adjustable.

€ 65,00 (C)

SIZES: XS - L

KS COVER

KK03201

€ 50,00 (C)

€ 119,00 (C)

Fiberglass shell. **Upholstery:** grey carpet.

### FLAT KART SEAT

KK05032

8 SIZES

FIBERGLASS SHELL KK05031

REF. WIDTH

KK0503129 29 cm

KK0503131 31 cm KK0503132 32 cm

KK0503133 33 cm KK0503138 38 cm

8 SIZES

REF. WIDTH



KK05030XX

€ 45,00 (C) € 50,00 (C) KK05030LXX 17

REF. WIDTH KK0503029 29 cm KK0503030 30 cm KK0503031 31 cm KK0503033 33 cm KK05030L36 36 cm KK05030L38 38 cm

Semitransparent fiber glass. 8 SIZES

KK036

€ 29,00 (C)

Polyethylene seat padding kit (5 piece kit) pre-cut pads for kart seats. All components are self adhesive to facilitate positioning on any seat shell. Thickness: 8 mm



### TYRE BAG

KK03300

OMP

€ 29,50 (C)

Polyamide nylon tyre bag (suitable for 4 tyres), tear resistant waterproof fabric.

### DIGITAL TYRE PRESS

NC/072

€ 36,00 (A)

€ 191,00 (C)

Digital tyre pressure gauge Resolution: 0.05 bar. Range: 0-7 bar. 0,6 CLASS

KART TROLLEY KK05012

# Waterproof kart cover, modern K-STYLE desig

NC081

€ 78,00 (A)


Analog tyre pressure gauge Resolution: 0.1 bar. Range: 0-40 psi, 0-2.7 bar.

0,1 CLASS

NUMBER PLATE € 1,10 (P) X/892



77







### **CASCHI STILO**

### ST5R ZERO 8860





• Peso (±30 g): 1.235 g (guscio piccolo - intercom incluso)

1.335 g (guscio grande - intercom incluso)

• Taglie: XS 54, S 55, M 57, L 59 (guscio piccolo)

L 60, XL 61, XXL 63, XXXL 64 (guscio grande)

• Versione: AA0701BG3N Hans

• Omologazione: FIA 8860-2010 SNELL SA2015

Codice	Descrizione
ST5R ZERO 8860	Casco integrale in carbonio ad alta tensione

### ST5R 8860



• Peso (±30 g): 1.405 g (guscio piccolo - intercom incluso)

1.505 g (guscio grande - intercom incluso)

• Taglie: XS 54, S 55, M 57, L 59 (guscio piccolo)

L 60, XL 61, XXL 63, XXXL 64 (guscio grande)

• Versione: AA0701BG1N Hans

Omologazione: FIA 8860-2010 SNELL SA2015

Codice	Descrizione
ST5R 8860	Casco integrale in carbonio a media tensione

### ST5R CARBON





• Peso (±30 g): 1.385 g (guscio piccolo - intercom incluso)

1.435 g (guscio grande - intercom incluso)

• Taglie: XS 54, S 55, M 57, L 59 (guscio piccolo)

L 60, XL 61, XXL 63, XXXL 64 (guscio grande)

• Versione: AA0701BG1M Hans

• Omologazione: FIA 8859-2015 SNELL SA2015

Codice	Descrizione
ST5R 8860	Casco integrale in carbonio a tensione normale

### ST5R COMPOSITE





• Peso (±30 g): 1.555 g (guscio piccolo - intercom incluso)

1.695 g (guscio grande - intercom incluso)

• Taglie: XS 54, S 55, M 57, L 59 (guscio piccolo)

L 60, XL 61, XXL 63, XXXL 64 (guscio grande)

• Versione: AA0701BG2M Hans

• Omologazione: FIA 8859-2015 SNELL SA2015

Codice	Descrizione
ST5R 8860	Casco integrale in fibra di vetro - kevlar MSF

### WRC DES ZERO 8860



• Peso (±30 g): 1.120 g (guscio piccolo - intercom incluso)

1.170 g (guscio grande - intercom incluso)

• Taglie: XS 54, S 55, M 57 (guscio piccolo)

L 59, XL 61 (guscio grande)

• Versione: AA0210BG3H Hans

• Omologazione: FIA 8860-2010 SNELL SA2010

Codice	Descrizione
ST5R ZERO 8860	Casco integrale in carbonio ad alta tensione

### **WRC DES 8860**



• Peso (±30 g): 1.300 g (guscio piccolo - intercom incluso)

1.350 g (guscio grande - intercom incluso)

• Taglie: XS 54, S 55, M 57 (guscio piccolo)

L 59, XL 61 (guscio grande)

• Versione: AA0210BG1D Hans

• Omologazione: FIA 8860-2010 SNELL SA2005

Codice	Descrizione
ST5R 8860	Casco integrale in carbonio a media tensione

### **WRC DES CARBON PIUMA**



• Peso (±30 g): 1.200 g (guscio piccolo - intercom incluso)

1.280 g (guscio grande - intercom incluso)

• Taglie: XS 54, S 55, M 57 (guscio piccolo)

L 59, XL 61 (guscio grande)

• Versione: AA0210BG1M Hans

Omologazione: FIA 8859-2015 SNELL SA2015

Codice Descrizione

ST5R 8860 Casco integrale in carbonio a tensione normale

### WRC DES COMPOSITE



• Peso (±30 g): 1.450 g (guscio piccolo - intercom incluso)

1.530 g (guscio grande - intercom incluso)

• Taglie: XS 54, S 55, M 57, L 59 (guscio piccolo)

L 60, XL 61, XXL 63, XXXL 64 (guscio grande)

• Versione: AA0210BG2M Hans

• Omologazione: FIA 8859-2015 SNELL SA2015

Codice	Descrizione
ST5R 8860	Casco integrale in fibra di vetro - kevlar MSF

### TROPHY PLUS



1.450 g (guscio piccolo - intercom incluso) 1.530 g (guscio grande - intercom incluso) • Peso (±30 g):

• Taglie: XS 54, S 55, M 57 (guscio piccolo)

L 59, XL 61, XXL 63, XXXL 64 (guscio grande)

• Versione: AA0110EG2M Hans

• Omologazione: FIA 8859-2015 SNELL SA2015

Codice	Descrizione
ST5R ZERO 8860	Casco in fibra di vetro - kevlar MSF

### TROPHY RALLY



• Peso (±30 g): 1.350 g (guscio piccolo - intercom incluso)

1.430 g (guscio grande - intercom incluso)

• Taglie: XS 54, S 55, M 57 (guscio piccolo)

L 59, XL 61, XXL 63, XXXL 64 (guscio grande)

• Versione: AA0110DF2M / AA0110DG2M Hans

FIA 8859-2015 SNELL SA2015 Omologazione:

Codice	Descrizione
ST5R 8860	Casco in fibra di vetro - kevlar MSF

### TROPHY JET



1.300 g (guscio piccolo - intercom incluso) 1.380 g (guscio grande - intercom incluso) • Peso (±30 g):

• Taglie:

XS 54, S 55, M 57 (guscio piccolo) L 59, XL 61, XXL 63, XXXL 64 (guscio grande)

• Versione: AA0110AF2M / AA0110AG2M Hans

Omologazione: FIA 8859-2015 SNELL SA2015

Codice	Descrizione
ST5R 8860	Casco in fibra di vetro - kevlar MSF



